




# KIVA DESIGN + ARCHITECTURE

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

## FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS

Date: 2018-08-29

Note: This document is to be used in conjunction with the general guideline document and the plans





AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
RECEPTION 1601					
10	Task chair 	Multi-task Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for ceramic tile flooring	Standard	Base: Black Seat upholstered mid-grade fabric	1
21	Sofa 	Lounge modular sofa for 5 to 6 persons Upholstered seat and back Back height: Low to medium Contemporary style	Approximate overall 9'-0" X 9'-0" to be validated with available size of furniture models.	Seat and back upholstered high grade fabric	1
18	Chair 	Lounge-type chair Back and seat: Upholstered High- back Contemporary style Sturdy base is required	Approximate 33" wide to be validated with available size of furniture models.	Base: painted metal or chrome Upholstered seat and back : high grade fabric	2

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans



	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
26	Coffee Table		Rectangular or oval shaped coffee table Contemporary style	48" X 24"	Plastic laminate top Chrome base or painted metal	1
27	Side table		Square or rectangular side table Contemporary style Table can be on low legs	Approximate:24" to 24" Approximate height 24" to be determined with arm height of modular sofa	Plastic laminate , Legs: chrome or painted metal	2
28	Side table		Round side table Contemporary style	Approximate: 20" to 24" diameter Approximate height 24" to be determined with arm height of lounge chairs	Back painted glass or clear glass Chrome base	2
<b>CONFERENCE ROOMS: 1602</b>						
8A	Conference table	 	Rectangular conference table, contemporary style. Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more. Electric and data Modules: For each module supply: One (1) Electric outlets One (1) HDMI One (1) Data outlets	48" W X 72" L Standard table height	Top: Plastic laminate Base: Wood or painted metal	1

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.




FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS

Date: 2018-08-29

Note: This document is to be used in conjunction with the general guideline document and the plans

	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
16	Conference chairs		Ergonomic Conference Chair Mechanism: swivel- tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for <u>vinyl</u> flooring	Standard	Base: Chrome Upholstered seat: high grade fabric Back in mesh	8
CONFERENCE ROOMS: 1603, 1604						
8	Conference table		Rectangular conference table, contemporary style The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more. Electric and data Modules: For each module supply: Two (2) Electric outlets Two (2) HDMI Two (2) Data outlets	54" W X 120" L Standard table height	Table: Wood veneer Base: Chrome , or wood	1
16	Conference chairs		Ergonomic Conference Chair Mechanism: swivel- tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for <u>carpet</u> flooring	standard	Base: Chrome Upholstered seat high grade fabric. Back in mesh	10

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**





FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS		Date: 2018-08-29			
Note: This document is to be used in conjunction with the general guideline document and the plans					
AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
MEETING ROOM 1605					
8	Conference table 	Rectangular conference table, contemporary style Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more. Electric and data Modules: For each module supply: Three (3) Electric outlets Three (3) HDMI Three (3) Data outlets	54" W X 120" L Standard table height	Table: Wood veneer Base: Chrome , or wood	1
16	Conference chairs 	Ergonomic Conference Chair Mechanism: swivel- tilt Base : 5-arm base Seat : upholstered Back: High-back in mesh Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for <u>carpet</u> flooring	Standard	Base: Chrome Upholstered seat: high grade fabric Back in mesh	10
BREAK OUT AREA 1606					
17	Chair 	Lounge-type chair No Armrests High back Contemporary style Sturdy base required	Approximate 33" wide to be validated with available size of furniture models.	Base: Wood, chrom e or painted legs , Upholstered seat and back high grade fabric	3

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans


	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
22	Sofa		Lounge-type chair No Armrests High back Contemporary style Sturdy base required	Approximate 9'-0" X 4'-6" to be validated with available size of furniture models.	Upholstery: Felt provide information on actual fabric, Base: Metal legs, chrome or painted,	1
23	Printer cabinet		Cabinet for small printer. With doors on concealed hinges Printer will sit inside cabinet Space for extra paper.	3'-0"w X 2'-0"d X 24"high	Plastic laminate casing and doors. Painted metal legs.	1
24	Side table		Round side table	Approximate: 24" diameter Approximate height 24" to be determined with seat height of lounge chairs	Wood veneer top Chrome base or painted metal	1
25	Side table		Round side table	Approximate: 20" diameter Approximate height 24" to be determined with sofa arm height	Wood veneer top Chrome base or painted metal	1

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans



	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
26	Coffee Table		Rectangular or oval shaped coffee table	Approximate: 42" L x18"d aproximate height: 18" to 20"	Back painted glass top Metal base chrome or painted	1
<b>TELEPHONE ROOM: 1607,1632</b>						
15	Chair		Comfortable relaxed-type chair. With upholstered seat No casters	Standard	Frame: wood Seat: medium grade fabric	2

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans




AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
OPEN AREAS 1626, 1631					
1	Workstations	 <p>2-level L-shaped Workstations                      Panel base system : panels aprox. 42"high with 6"frosted glass above. Total height of panels: 48" to 50".  <u>Main work surface:</u> height adjustable (sit-stand)                      Return consisting of lower-level style. (Should extend under main worksurface as much as possible)  <u>Return:</u> should include the following :                      a)1 (one) filing drawer with lock                      b)1 (one)smaller drawer above                      c)1 (one) Coat Closet unit at end of return:                      Maximun 48" height, with a coat bar                      Full length handle                      Lock  <u>Accessories as follows:</u>                      Fully articulated double monitor arms.                      Universal CPU holder                      A full-wide suspension rail for accessories                      a)Accessories                      b)Three (3) Legal trays                      c)One (1) Pen holder                      d)One (1) Binder holderLevelers required                      Levelers                      Cable tray and cable management                      2 grommets per workstation</p>	Overall workstation 72" X 90" Panel height 42" aprox.with 6" glass panel. Main work surface : 72" X 30" Return: 60"L (or longer if extends under worksurface X 20" D X 24" high Closet unit : 18" wide X 20"deep	Plastic laminate. Exteror of panels in plastic laminate. Interior of panels in fabric grade 3. Glass panels frosted.	30
10	Task chair	 <p>Multi-task Ergonomic Office Chair                      Mechanism: Multifunction                      Base : 5-arm base                      Seat: upholstered, aprox. width 19"                      Back: mid-back in mesh                      Armrest: Ergonomic armrests with width and height adjustment                      Seat: seat height and depth adjustment                      Must support weight up to 300lbs.                      Caster for carpet flooring</p>	Standard	Base: Black Seat upholstered mid-grade fabric.	30

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans

	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
38	Filing cabinet		3-Drawer lateral filing cabinet with locks	Filing cabinet: 36" X18"	Painted metal	32
39	Filing cabinet		2-Drawer lateral filing cabinet with locks	Filing cabinet: 36" X18"	Painted metal	5
40	Laminate top		Top for row of 5X 3-drawers filing cabinets	Aprox: 15'-0" X 18"	Plastic laminate	3
41	Laminate top		Top for row of 2X 2-drawer filing cabinets	Aprox: 6'-0" X 18"	Plastic laminate	2
42	Laminate top		Top for row of 2X 3-drawers filing cabinets	Aprox: 9'-0" X 18"	Plastic laminate	2
43	Laminate top		Top for row of 3X 2-drawers filing cabinets	Aprox: 3'-0" X 6'-0"	Plastic laminate	1
44	Laminate top		Top for island of 4X 3-drawers filing cabinets	Aprox: 3'-0" X 12'-0"	Plastic laminate	1
20	Chair		Visitor Chair for open area with arms Seat: upholstered Back: mesh or plastic Armrest: fixed Frame:4 legs no casters	Standard	Frame: Painted metal Upholstered seat: mid grade fabric. Back: Mesh or plastic	






PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS

Date: 2018-08-29

Note: This document is to be used in conjunction with the general guideline document and the plans




AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
GENERAL CLOSED OFFICES 1613, 1614, 1615, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1627, 1628, 1629,					
2	Desks 	2-level L-shaped Desk <u>Main work surface</u> : height adjustable (sit-stand) With privacy panel Provide a gable panel, skirt or other component to conceal the telescopic leg at the end of the desk. <u>Return</u> consisting of lower-level style. (Should extend under main worksurface as much as possible) should include the following : 1 (one) filing drawer with lock 1 (one) smaller drawer above <u>Wall panel</u> in magnetic back painted glass and upper storage in laminate above, with laminate doors Levelers required Fully articulated double monitor arms. Universal CPU holder	Overall desk 72" X 72" Main work surface : 72" X 30" Return: 42"L (or longer if extends under worksurface X 24" D X 24" high Upper cabinet: 72" long X 12" deep X 15"high	Plastic laminate. Wall panel: Magnetic back painted glass Upper storage: plastic laminate	15
10	Task chair 	Multi-task Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for carpet tile flooring	Standard	Base: Black Seat upholstered mid-grade fabric	15
12	Visitor chair 	Visitor chair with arms Seat: upholstered Back: mesh or plastic Armrest: fixed Frame: 4 legs no casters	Standard	Frame: Painted metal Upholstered seat: mid grade fabric. Back: Mesh or plastic	30

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.



FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS

Date: 2018-08-29




Note: This document is to be used in conjunction with the general guideline document and the plans

AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>GENERAL CLOSED OFFICES 1616</b>					
2A	Desks 	2-level L-shaped Desk Main work surface: height adjustable (sit-stand) With privacy panel Provide a gable panel, skirt or other component to conceal the telescopic leg at the end of the desk. Return consisting of lower-level style. (Should extend under main worksurface as much as possible) should include the following : 1 (one) filing drawer with lock 1 (one) smaller drawer above Wall panel in magnetic back painted glass and upper storage in laminate above, with laminate doors Levelers required	Overall desk 72" X aprox. 72" (customized) Main work surface : 72" X 30" Return: aprox 42"L (customized) (or longer if extends under worksurface X 24" D X 24" high Upper cabinet: 68" long X 12" deep X 15" high (customized)	Plastic laminate. Wall panel: Magnetic back painted glass Upper storage: plastic laminate	1
10	Task chair 	Multi-task Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for ceramic tile flooring	Standard	Base: Black Seat upholstered mid-grade fabric	1
12	Visitor chair 	Visitor chair with arms Seat: upholstered Back: mesh or plastic Armrest: fixed Frame: 4 legs no casters	Standard	Frame: Painted metal Upholstered seat: mid grade fabric. Back: Mesh or plastic	2




PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS		Date: 2018-08-29			
Note: This document is to be used in conjunction with the general guideline document and the plans					
AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>GENERAL CLOSED OFFICES 1634,</b>					
2B	Desks	 <p>2-level L-shaped freestanding desks . <u>Main work surface</u>: height adjustable (sit-stand) Provide a gable panel, skirt or other component to conceal the telescopic leg at the end of the desk. <u>Return</u> consisting of lower-level style. (Should extend under main worksurface as much as possible) should include the following : 1 (one) filing drawer with lock 1 (one) smaller drawer above <u>Partial panels</u> (not to floor) for privacy both on sit-stand and on return. Levelers required Fully articulated double monitor arms. Universal CPU holder</p>	Overall desk 72" X 72" Main work surface : 72" X 30" Return: 42"L (or longer if extends under worksurface X 24" D X 24" high	Plastic laminate.	5
10	Task chair	 <p>Multi-task Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for ceramic tile flooring</p>	Standard	Base: Black Seat upholstered mid-grade fabric/grade 3 fabric.	5
36	Printer cabinet	<p>Cabinet for small printer. With doors on concealed hinges Space for extra paper Printer will sit on top of cabinet</p>	3'-0"w X 2'-0"d X 30"high	Plastic laminate casing and doors. Painted metal legs.	

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS						Date: 2018-08-29
Note: This document is to be used in conjunction with the general guideline document and the plans						
	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
37	Table		Round meeting table, with disc pedestal	42" diameter	Plastic laminate top painted metal base	
<b>GENERAL CLOSED OFFICES 1637</b>						
2B	Desks		2-level L-shaped freestanding desks . <u>Main work surface</u> : height adjustable (sit-stand) Provide a gable panel, skirt or other component to conceal the telescopic leg at the end of the desk. <u>Return</u> consisting of lower-level style. (Should extend under main worksurface as much as possible) should include the following : 1 (one) filing drawer with lock 1 (one) smaller drawer above <u>Partial panels</u> (not to floor) for privacy both on sit-stand and on return. Levelers required Fully articulated double monitor arms. Universal CPU holder	Overall desk 72" X 72" Main work surface : 72" X 30" Return: 42"L (or longer if extends under worksurface X 24" D X 24" high	Plastic laminate.	3
10	Task chair		Multi-task Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for ceramic tile flooring	Standard	Base: Black Seat upholstered mid-grade fabric	15

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.





FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS		Date: 2018-08-29			
Note: This document is to be used in conjunction with the general guideline document and the plans					
AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>EXECUTIVE OFFICE 1609</b>					
3A	Desk	 <p>L-shaped Executive Desk  <u>Main work surface:</u> height adjustable (sit-stand)            Maintain an executive look by providing a gable panel, skirt or other component to conceal the telescopic leg at the end of the desk.  <u>Return</u> should include the following:            2 (two) 2-drawer filing cabinets with lock            1 (one) box box file unit            Laminate top with end gable.  <u>Accessories as follows:</u>            Fully articulated double monitor arms.            Universal CPU holder</p>	Overall desk 72" X 132" Main work surface : 72" X 36" Return: 96" L X 24" deep, 1" end gable. Filing cabinets : 36" W X 18" D Box box file: 18" W X 18" D	All casing and surfaces in Plastic laminate. Filing in plastic laminate	1
11	Task chair	 <p>Multi-task Executive Ergonomic Office Chair            Mechanism: Multifunction            Base : 5-arm base            Seat: upholstered, aprox. width 19"            Back: mid-back in mesh            Armrest: Ergonomic armrests with width and height adjustment            Seat: seat height and depth adjustment            Must support weight up to 300lbs.            Caster for ceramic tile flooring</p>	Standard	Base: Chrome Upholstered seat high grade fabric	1
13	Visitor chair	 <p>Visitor chair with arms, for executive            Style: classic contemporary            Seat: upholstered            Back: Mesh or fabric            Armrest: fixed            Base : contemporary no casters            Chair must be sturdy</p>	Standard	Base: Painted metal or chrome, or wood legs Upholstered seat: high grade fabric Back: Mesh or fabric	2

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans

	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
5	Meeting table		Rectangular meeting table, contemporary style Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more, or glass The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.	Overall 72" X 42"	Laminate top: Base: Painted metal or chrome	1
14	Meeting chairs		Meeting chair Mechanism: Swivel-tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Armrest: : Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for carpet flooring	Standard	Base: Chrome Upholstered seat high grade fabric. Back in mesh	6
19	Chair		Lounge-type chair «contemporary style Back and seat: Upholstered Armrests (Optional) Mid- back	Standard	Base wood, painted metal or chrome Upholstered seat and back high grade fabric	3
29	Side table		Round low table	Approximate: 24" diameter Approximate height 24" to be determined with seat height of lounge chairs	Wood veneer top or glass Chrome base or painted metal	1

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**



FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS		Date: 2018-08-29			
Note: This document is to be used in conjunction with the general guideline document and the plans					
AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>EXECUTIVE OFFICE 1610</b>					
3B	Desk	 <p>1-Level , U-shaped Executive Desk  <u>Main work surface:</u> height adjustable (sit-stand)                      Maintain an executive look by providing a gable panel,skirt or other component to conceal the telescopic leg at the end of the desk.  <u>Return</u> should include the following                      1 (one)box box file unit  <u>Back credenza should include:</u>                      2 (two) filing 2-drawer filing cabinets with locks                      Laminate top with end gable.  <u>Accessories as follows:</u>                      Fully articulated double monitor arms.                      Universal CPU holder</p>	Overall desk 100" X 108" Main work surface : 72" X 36" Return: 48"L X 24" deep, Filing cabinets : 36" W X 18" D Box box file: 18"W X 18" D Credenza: aprox. 100"L X 24"D 1" end gable.	All casing and surfaces in Plastic laminate. Filing in plastic laminate	1
11	Task chair	 <p>Multi-task Executive Ergonomic Office Chair                      Mechanism: Multifunction                      Base : 5-arm base                      Seat: upholstered, aprox. width 19"                      Back: mid-back in mesh                      Armrest: Ergonomic armrests with width and height adjustment                      Seat: seat height and depth adjustment                      Must support weight up to 300lbs.                      Caster for ceramic tile flooring</p>	Standard	Base: Chrome Upholstered seat grade 5 fabric.	1
13	Visitor chair	 <p>Visitor chair with arms, for executive                      Seat: upholstered                      Back: Mesh or fabric                      Armrest: fixed                      Frame: 4 legs no casters                      Chair must be sturdy</p>	Standard	Base: Painted metal or chrome, or wood legs Upholstered seat: high grade fabric . Back: Mesh or fabric	2

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**


**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans

	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
6	Meeting table		<p>Circular meeting table, contemporary style Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more.or glass</p> <p>The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.</p>	<p>Overall 72" X 42" Standard height</p>	<p>Laminate top Base: Painted metal or chrome</p>	1
14	Meeting chairs		<p>Meeting chair Mechanism: Swivel-tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Armrest: : Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for carpet flooring</p>	Standard	<p>Base: Chrome Upholstered seat: high grade fabric. Back in mesh</p>	4



PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.




FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS		Date: 2018-08-29			
Note: This document is to be used in conjunction with the general guideline document and the plans					
AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>EXECUTIVE OFFICE 1611</b>					
3C	Desk	 <p>1-Level , U-shaped Executive Desk <u>Main work surface:</u> height adjustable (sit-stand) Maintain an executive look by providing a gable panel,skirt or other component to conceal the telescopic leg at the end of the desk. <u>Return</u> should include the following 1 (one)box box file unit <u>Back credenza should include:</u> 2 (two) filing 2-drawer filing cabinets with locks Laminate top with end gable. <u>Accessories as follows:</u> Fully articulated double monitor arms. Universal CPU holder</p>	<p>Overall desk 100" X 116" Main work surface : 72" X 36" Return: 48"L X 24" deep, Filing cabinets : 36" W X 18" D Box box file: 18"W X 18" D Credenza: aprox. 72"L X 24"D 1" end gable.</p>	<p>All casing and surfaces in Plastic laminate. Filing in plastic laminate</p>	1
11	Task chair	 <p>Multi-task Executive Ergonomic Office Chair Mechanism: Multifunction Base : 5-arm base Seat: upholstered, aprox. width 19" Back: mid-back in mesh Armrest: Ergonomic armrests with width and height adjustment Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for ceramic tile flooring</p>	Standard	<p>Base: Chrome Upholstered seat: high grade fabric.</p>	1

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans




	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
13	Visitor chair		Visitor chair with arms, for executive Seat: upholstered Back: Mesh or fabric Armrest: fixed Frame: 4 legs no casters Chair must be sturdy	Standard	Base: Painted metal or chrome, or wood legs Upholstered seat: high grade fabric . Back: Mesh or fabric	2
6	Meeting table		Circular meeting table, contemporary style Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more.or glass  The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.	Overall 72" X 42" Standard height	Laminate top Base: Painted metal or chrome	1
14	Meeting chairs		Meeting chair Mechanism: Swivel-tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Armrest: : Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for carpet flooring	Standard	Base: Chrome Upholstered seat: high grade fabric. fabric. Back in mesh	4

PROJET: CREE NATION GOVERNMENT  
700 De la Gauchetiere , Montreal,  
16th floor.

FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS

Date: 2018-08-29

Note: This document is to be used in conjunction with the general guideline document and the plans





AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
<b>MEETING ROOMS 1633, 1636</b>					
7	Conference table 	Rectangular meeting table, contemporary style. Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more. Electric and data Modules: For each module supply:	48" W X 72" L Standard table height	Table: Plastic laminate. Base: Chrome	2
14	Conference chairs 	Ergonomic Conference Chair Mechanism: swivel- tilt Base : 5-arm base Seat: upholstered Back: High-back in mesh Fixed armrests Seat: seat height and depth adjustment Must support weight up to 300lbs. Caster for <u>carpet</u> flooring	Standard	Base: Black Upholstered seat grade 3 fabric. Back in mesh	6
<b>CAFETERIA 1635</b>					
30	Cafeteria tables 	Rectangular high cafeteria table, contemporary style. Disc base The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.	70" W X20" D X 42"H	Table: Plastic laminate. Base: Painted metal	2

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans


	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
31	Cafeteria tables		Round cafeteria table, contemporary style. Disc base The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.	30" diameter Standard table height	Table: Plastic laminate. Base: Painted metal	3
32	Cafeteria tables		Rectangular cafeteria table, contemporary style. Levelers required The work surfaces must be constructed of high density particle board and covered with plastic laminate 1/32" (.79 mm) thick or more. The surface must have a minimum of 1 1/4 " (32 mm) thick and an edge of 1/8" (13 mm) thick or more.	24" W X 30" L Standard table height	Table: Plastic laminate. Base: Painted metal	4
33	Cafeteria Stools		Cafeteria stool with low to medium back Base : 4 legs Seat and back : plastic No armrests	24" seat height for 36" high tables	Base: painted metal or chrome Seat and back in plastic.	24
34	Cafeteria chairs		Cafeteria chairs Base : 4 legs Seat and back : plastic No armrests	Standard	Base: painted metal or chrome Seat and back in plastic.	16

**PROJET: CREE NATION GOVERNMENT**  
**700 De la Gauchetiere , Montreal,**  
**16th floor.**

**FURNITURE TENDER DOCUMENT: LIST OF FURNISHINGS**

**Date: 2018-08-29**

Note: This document is to be used in conjunction with the general guideline document and the plans

	AREA	INSPIRATION ( ONLY) IMAGES	DESCRIPTION	DIMENSIONS	FINISHES	QTY
35	Cafeteria Stools		Cafeteria stool with low to medium back Base : 4 legs Seat and back : plastic No armrests	30" seat height for 42" high tables	Base: painted metal or chrome Seat and back in plastic.	4